

	Hits	Search Text	DBs
48	41	LCD and (((signal drain data column) adj3 line) with (two adj pixels)) and (TFT (switch\$4 adj3 element\$2))	USPAT
49	41	LCD and (((signal drain data column) adj3 line) with (two adj pixel)) and (TFT (switch\$4 adj3 element\$2))	USPAT
50	5	LCD and (((signal drain data column) adj3 line) with (two adj pixels)) and (TFT (switch\$4 adj3 element\$2))	EPO; JPO; DERWENT; IBM_TDB
51	5	LCD and (((signal drain data column) adj3 line) with (two adj pixel)) and (TFT (switch\$4 adj3 element\$2))	EPO; JPO; DERWENT; IBM_TDB
52	41	LCD and (((signal drain data column) adj3 line) same (three adj pixels)) and (TFT (switch\$4 adj3 element\$2))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
53	22	LCD and (((signal drain data column) adj3 line) with (three adj pixels)) and (TFT (switch\$4 adj3 element\$2))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
54	19	(LCD and (((signal drain data column) adj3 line) same (three adj pixels)) and (TFT (switch\$4 adj3 element\$2))) not (LCD and (((signal drain data column) adj3 line) with (three adj pixels)) and (TFT (switch\$4 adj3 element\$2)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
55	12	LCD and (((signal drain data column) adj3 line) with (three adj pixel)) and (TFT (switch\$4 adj3 element\$2))	USPAT
56	1	6476787.pn.	USPAT
57	0	6476787.URPN.	USPAT
58	15	("4870396"   "5120964"   "5175446"   "5627557"   "5641974"   "5790213"   "5828429"   "5844538"   "5903249"   "5952989"   "5982469"   "6011530"   "6115017"   "6295054"   "6310594").PN.	USPAT
59	20	LCD and (((signal drain data column) adj3 line) same (three adj pixels)) and (TFT (switch\$4 adj3 element\$2))	USPAT; EPO; JPO; DERWENT; IBM_TDB
60	13	LCD and (((signal drain data column) adj3 line) with (three adj pixels)) and (TFT (switch\$4 adj3 element\$2))	USPAT; EPO; JPO; DERWENT; IBM_TDB
61	608	(349/42).CCLS.	USPAT

	Hits	Search Text	DBs
62	316	LCD and ((multiplex\$5 adj3 (signal column) adj3 line data) with (two adj3 pixels)) and "2"	USPAT
63	93	(LCD and ((multiplex\$5 adj3 (signal column) adj3 line data) with (two adj3 pixels)) and (TFT (switch\$4 adj3 element\$2))) not (LCD and (((signal column) adj3 line) with (two adj3 pixels)) and (TFT (switch\$4 adj3 element\$2))) and (LCD and ((multiplex\$5 adj3 (signal column) adj3 line data) with (two adj3 pixels)) and "2")	USPAT
64	587	(349/43).CCLS.	USPAT
65	79	(349/48).CCLS.	USPAT
66	73	LCD and (((signal drain data column) adj3 line) and (two adj3 pixels)) and (TFT (switch\$4 adj3 element\$2)) and (((349/42).CCLS.) ((349/43).CCLS.) ((349/48).CCLS.))	USPAT
67	41	LCD and (((signal drain data column) adj3 line) and (two adj3 pixels)) and (TFT (switch\$4 adj3 element\$2)) and (((349/42).CCLS.) )	USPAT
68	28	LCD and (((signal drain data column) adj3 line) and (two adj3 pixels)) and (TFT (switch\$4 adj3 element\$2)) and (((349/43).CCLS.) )	USPAT
69	11	LCD and (((signal drain data column) adj3 line) and (two adj3 pixels)) and (TFT (switch\$4 adj3 element\$2)) and (((349/48).CCLS.) )	USPAT
70	247	(345/90).CCLS.	USPAT
71	427	(345/92).CCLS.	USPAT
72	16	LCD and (((signal drain data column) adj3 line) and (two adj3 pixels)) and (TFT (switch\$4 adj3 element\$2)) and (((345/90).CCLS.) )	USPAT
73	34	LCD and (((signal drain data column) adj3 line) and (two adj3 pixels)) and (TFT (switch\$4 adj3 element\$2)) and (((345/92).CCLS.) )	USPAT

	Hits	Search Text	DBs
74	740	(345/204).CCLS.	USPAT
75	177	(345/206).CCLS.	USPAT
76	171	(345/214).CCLS.	USPAT
77	2	LCD and (((signal drain data column) adj3 line) and (two adj3 pixels)) and (TFT (switch\$4 adj3 element\$2)) and (14-16)	USPAT
78	15	LCD and (((signal drain data column) adj3 line) and (two adj3 pixels)) and (TFT (switch\$4 adj3 element\$2)) and (((345/204).CCLS.))	USPAT
79	6	LCD and (((signal drain data column) adj3 line) and (two adj3 pixels)) and (TFT (switch\$4 adj3 element\$2)) and (((345/206).CCLS.))	USPAT
80	6	LCD and (((signal drain data column) adj3 line) and (two adj3 pixels)) and (TFT (switch\$4 adj3 element\$2)) and (((345/214).CCLS.))	USPAT
81	1	6476787.pn.	USPAT
82	0	6476787.URPN.	USPAT
83	0	6476787.URPN.	USPAT
84	15	("4870396"   "5120964"   "5175446"   "5627557"   "5641974"   "5790213"   "5828429"   "5844538"   "5903249"   "5952989"   "5982469"   "6011530"   "6115017"   "6295054"   "6310594").PN.	USPAT
85	310	(((signal column data source) adj3 line) same (two adj3 pixels)) same (TFT (switch\$4 adj3 element\$2))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
86	112	(((signal column data source) adj3 line) with (two adj3 pixels)) with (TFT (switch\$4 adj3 element\$2))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
87	3	(((column) adj3 line) with (two adj3 pixels)) with (TFT (switch\$4 adj3 element\$2))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
88	12	(((column source) adj3 line) with (two adj3 pixels)) with (TFT (switch\$4 adj3 element\$2))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
89	59	((column data source) adj3 line) with (two adj3 pixels)) with (TFT (switch\$4 adj3 element\$2))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
90	59	((column data source) adj3 line) with (two adj3 pixels)) with (TFT (switch\$4 adj3 element\$2))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
91	0	((multiplex\$5 adj3 (signal column data) adj3 line) with (two adj3 pixels)) with (TFT (switch\$4 adj3 element\$2))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
92	0	((multiplex\$5 adj3 (signal column data) adj3 line) same (two adj3 pixels)) same (TFT (switch\$4 adj3 element\$2))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
93	0	((multiplex\$5 near5 (signal column data) adj3 line) same (two adj3 pixels))) same (TFT (switch\$4 adj3 element\$2))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
94	2	((multiplex\$5 adj3 (signal column data) adj3 line) same (two adj3 pixels))) and (TFT (switch\$4 adj3 element\$2))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
95	4	((multiplex\$5 near5 (signal column data) adj3 line) same (two adj3 pixels))) and (TFT (switch\$4 adj3 element\$2))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
96	5	((signal column data) adj3 line) same (two adj3 pixels))) same (three near2 (TFT (switch\$4 adj3 element\$2)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
97	4	((signal column data) adj3 line) same (two adj3 pixels))) same (three adj2 (TFT (switch\$4 adj3 element\$2)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
98	28	((signal column data) adj3 line) same (two adj3 pixels))) and (three adj2 (TFT (switch\$4 adj3 element\$2)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
99	33	(scan\$4 adj2 line) same (three adj2 (TFT (switch\$4 adj2 element))) same (signal column) same pixel	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
100	17	(scan\$4 adj2 line) same (three adj (TFT (switch\$4 adj2 element))) same (signal column) same pixel	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
101	53	(scan\$4 adj2 line) same (two adj (TFT (switch\$4 adj2 element))) same (signal column) same pixel	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
102	61	(scan\$4 adj2 line) same (two adj (TFT (switch\$4 adj2 element))) and ((signal column) near4 pixel)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
103	5	(scan\$4 adj2 line) same (two adj (TFT (switch\$4 adj2 element))) same ((signal column) near pixel)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
104	22	(scan\$4 adj2 line) same (two adj (TFT (switch\$4 adj2 element))) same ((signal column) near4 pixel)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
105	23	Lee.in. and two adj TFT	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
106	4	(scan\$4 adj2 line) same (two adj (TFT (switch\$4 adj2 element))) same (signal column) same pixel and Lee.in.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
107	74	(scan\$4 adj2 line) same (two adj2 (TFT (switch\$4 adj2 element))) same (signal column) same pixel	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
108	0	((column data source) adj3 line) with (two adj3 pixels)) with (different adj2 electrical adj2 characteristics)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
109	0	((column data source) adj3 line) and ((two adj3 pixels adj3 electrodes)) with (different adj2 electrical adj2 characteristics))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
110	0	(two adj3 pixels adj3 electrodes) with (different adj2 electrical adj2 characteristics)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
111	0	(two adj3 pixels adj3 electrodes) same (different adj2 electrical adj2 characteristics)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
112	0	(two adj3 pixels adj3 electrodes) same (electrical adj2 characteristics)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
113	0	(two adj3 pixel adj3 electrodes) same (electrical adj2 characteristics)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
114	19	(two adj3 pixel adj3 electrodes) same (characteristics)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
115	80	(345/80).CCLS.	USPAT
116	56	(345/79).CCLS.	USPAT
117	203	(345/32).CCLS.	USPAT
118	311	(345/84).CCLS.	USPAT

	Hits	Search Text	DBs
119	750	(345/100).CCLS.	USPAT
120	109	(345/31).CCLS.	USPAT
121	167	(345/33).CCLS.	USPAT
122	59	(345/38).CCLS.	USPAT
123	85	(345/48).CCLS.	USPAT
124	101	(345/58).CCLS.	USPAT
125	199	(345/67).CCLS.	USPAT
126	17	(345/696).CCLS.	USPAT
127	248	(345/698).CCLS.	USPAT
128	232	(345/205).CCLS.	USPAT